



RIGID XL PLANK

FLOORING



QuantumCore
TECHNOLOGY

DISTRIBUTED

 **Proline**
floors

WATER PROOF - SUN PROOF - FADE PROOF - HEAT PROOF



ULTIMATE NEXT GENERATION IN HIGH PERFORMANCE FLOORING

Proline Floors latest and most innovative hard flooring range

Rigid Plank XL represents the latest in next generation flooring technology. Rigid Plank XL is a trouble free flooring solution that incorporates our proprietary Quantum Core Limestone 100% water proof structure, which is resistant to fluctuation of Australia's harsh climate. Able to withstand direct heat, extreme cold and with the lowest expansion rates. Rigid Plank XL is a perfect solution for our modern indoor/outdoor lifestyle.

Cleaning is a breeze with Rigid Planks, 100% waterproof moppable surface - dry or wet maintenance is perfectly acceptable, the choice is yours. Not only is Rigid Plank a high performance floor we have meticulously chosen our flooring designs to be 'true to nature.' Every plank is hand selected to give you the most beautiful colours and grain structures that combine to recreate the perfect timber floor.





FEATURES & BENEFITS






ACOUSTIC BACKING


Rigid Plank XL represents the latest in next generation flooring technology. Every plank has a pre-adhered underlay for improved acoustics and underfoot comfort.

Acoustic Backing - Achieves 42 L'nTw Test Result



BEATS BCA MINIMUM STANDARDS BY 30%

Profile	Feature	Benefit
	Micro Bevel Edges	Micro bevel edges create a small V-shape between each board for an authentic look.
	Quantum Core	Limestone composite core board with up to 80% limestone and 20% vinyl powder. Resulting in a stable core that has minimal expansion and contraction
	6mm Thickness	Each product is 6mm thick, providing extra soft and warm cushioning underfoot.
Finish	Feature	Benefit
	Matte Finish	Boards with a matte finish reflect the natural look and feel of timber.
	Woodgrain	Boards have an authentic timber woodgrain look.
	Wear Layer	A 0.55mm wear layer protects the surface of your vinyl plank flooring from everyday wear and tear.

	Waterproof	Continue the timber look through your living zones into kitchens and laundries. Rigid Planks can be wet mopped.
---	-------------------	---

DECORATIVE PAPER / WEAR LAYER

A hardwearing surface with high impact resistance, available in a variety of twelve natural colours to choose from.



ACOUSTIC BACKING

Every plank has a pre-adhered underlay for excellent acoustics and underfoot comfort.

LIMESTONE / PVC COMPOSITE CORE

Rigid Plank XL has a Limestone/PVC Composite core which provides outstanding impact resistance and durability. This unique formula enhances the Rigid Planks in rigid strength under all temperatures whilst providing minimal expansion and contraction.



CLICK SYSTEM


Easy to assemble high strength click system.

SPECIFICATIONS

- Surface: Matt Embossed
- Dimensions: 228 x 1520 x 6mm
- Wear Layer: 0.55mm
- Boards per box: 5
- Area per box: 1.733 m²

KEY FEATURES

	RIGID PLANK XL	LOOSELAY LVT	TRADITIONAL LAMINATE
Water-proof	✓	✗	✗
Sun-proof	✓	✓	✗
Will not warp or deform>60 degrees celcius	✓	✗	✓
Suitable in rooms with floor to ceiling windows	✓	✗	✗
Suitable for kitchen & laundries	✓	✗	✗
Resistant to indentation	✓	✓	✓
Excellent sound absorbtion - built in underlay	✓	✗	✗
Core is free of harmful content and plasticisers	✓	✗	✓
Suitable to be laid over tiles	✓	✗	✓
No acclimatisation necessary	✓	✗	✗
No telegraphing	✓	✗	✓
Installs on areas up to 400m² without transition gaps	✓	✗	✗
Lays directly over chipboard / yellow tongue	✓	✗	✗
Fast & easy tight lock install	✓	✗	✓



LENNOX HEAD SPOTTED GUM



ALTO



CALIFORNIA



MOUNT MARTHA SPOTTED GUM



NATURAL BLACKBUTT



DECADENCE



DESSERT WILLOW



PALM SPRINGS



SEQUOIA



LENNOX HEAD SPOTTED GUM



MORNINGTON BLACKBUTT



**BCI Compliant P3 Rated Slip
Resistant Matching Stair Nosing**



STAIR NOSING











● EASY TO INSTALL

Rigid Planks use a click lock installation method. No glue is used. Planks click together tightly on the long side and drop into place on the short side.

● SUB-FLOORS

Rigid Planks can be installed over most surfaces such as tiles with grout lines, particleboard and chipboard or yellow tongue. As planks are thick and rigid, there's no show through, telegraphing. Rigid Planks do not require acclimatisation before laying, making installation, quick, clean and easy.

● PERFORMANCE

Rigid Planks perform exceptionally. Features a multi layer Limestone / PVC composite core and a urethane coating which provides an exceptional resistance to heavy foot traffic, indents, scratches and scuffs. Excellent acoustic benefits making it ideal where noise dampening is needed. Rigid Planks are heat and cold proof, water, sun and fade proof, scratch and impact proof.

● SAFE & SUSTAINABLE

Rigid Planks solid core is free from ortho-phthalates, plasticisers and other harmful content. The Click installation method is chemical and glue free.

Plank Size: 1520 x 228 x 6mm



NATURAL BLACKBUTT

WATER PROOF - SUN PROOF - FADE PROOF - HEAT PROOF



Proudly imported and distributed by Proline Floors. For your nearest stockist phone (02) 9525 5241 or visit prolinefloors.com.au

Your local supplier: